

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	73	@ad<"20030912" and (emulat\$3 with driver with media)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 17:10
L3	15	@ad<"20030912" and (emulation with driver with media)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 17:13
L4	77	@ad<"20030912" and emulation adj2 driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 17:14
L5	4	@ad<"20030912" and emulation adj2 driver same benefit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 17:46
L6	434	713/164.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 17:46
S1	2	"20050060542"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/24 17:07
S2	3	"20020108050"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/24 08:24
S3	50	"6398245"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/24 08:24
S4	22	england.in. and (black adj box)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 08:33

## EAST Search History

S5	11967	key same (location address) same content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 08:49
S6	3283	key with (location address) with content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 08:50
S7	2322	key with (location address) with content and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 08:51
S8	61	key with (location address) with content and @ad<"20030912" and location with ("near" proximity close closest) with content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 08:53
S9	52	key with (location address) with content and @ad<"20030912" and location with ("near" proximity close closest) with content and (request\$3 with (media content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 08:54
S10	10	@ad<"20030912" and (location with ("near" proximity close closest) with content) same (key with (location address) with content) and (request\$3 with (media content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 09:00
S11	0	"0040039905"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 09:00
S12	2	"20040039905"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 09:10
S13	5	2002/0007456 and request\$3 with content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 09:10

## EAST Search History

S14	2	"20020007456" and request\$3 with content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 09:12
S15	2	"20020007456" and request\$3 near3 content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 09:16
S16	878	@ad<"20030912" and (location address) near3 content with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 09:17
S17	76	@ad<"20030912" and (location address) near3 content with key with (send\$3 transmit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 13:43
S18	1	@ad<"20030912" and (location address) near3 (content adj server) with key with (send\$3 transmit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 13:44
S19	13	@ad<"20030912" and (location address) near3 (content adj server) with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 14:33
S20	217	@ad<"20030912" and key with expir\$6 with content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 14:14
S21	16	@ad<"20030912" and (location address) near3 (content adj server) with (key license)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 14:33
S22	3	S21 not S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 15:38
S23	0	"20020007456" and kernel same cop\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 15:38

## EAST Search History

S24	0	"20020007456" and kernel same reproduc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 15:39
S25	0	"20020007456" and kernel with rights	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 15:40